

North Carolina Department of Health and Human Services (NC DHHS)

Division of Medical Assistance (DMA) Division of Mental Health (DMH) Division of Public Health (DPH)

Standard Companion Guide Transaction Information Instructions related to Transactions based on ASC X12 Implementation Guides, version 005010X223A2 Health Care Claim: Institutional (837-I), for MMIS NCTracks starting July 1, 2013





This template is Copyright © 2010 by The Workgroup for Electronic Data Interchange (WEDI) and the Data Interchange Standards Association (DISA), on behalf of the Accredited Standards Committee (ASC) X12. All rights reserved. It may be freely redistributed in its entirety provided that this copyright notice is not removed. It may not be sold for profit or used in commercial documents without the written permission of the copyright holder. This document is provided "as is" without any express or implied warranty. Note that the copyright on the underlying ASC X12 Standards is held by DISA on behalf of ASC X12. 2011 © Companion Guide copyright by Computer Sciences Corporation.

Preface

Companion Guides (CGs) may contain two types of data, instructions for electronic communications with the publishing entity (Communications/Connectivity Instructions) and supplemental information for creating transactions for the publishing entity while ensuring compliance with the associated ASC X12 IG (Transaction Instructions). Either the Communications/Connectivity component or the Transaction Instruction component must be included in every CG. The components may be published as separate documents or as a single document.

The Communications/Connectivity component is included in the CG when the publishing entity wants to convey the information needed to commence and maintain communication exchange.

The Transaction Instruction component is included in the CG when the publishing entity wants to clarify the IG instructions for submission of specific electronic transactions. The Transaction Instruction component content is limited by ASCX12's copyrights and Fair Use statement.

Table of Contents

| 1. Transaction Instruction (TI) Introduction | 1 |
|---|----|
| 1.1 Background | 1 |
| 1.1.1 Overview of HIPAA Legislation | |
| 1.1.2 Compliance According to HIPAA | 1 |
| 1.1.3 Compliance According to ASC X12 | |
| 1.2 Intended Use | 1 |
| 1.3 Intended Audience | |
| 1.4 Purpose of Companion Guide | 2 |
| 1.5 Acknowledgements | 2 |
| 1.6 Trading Partner Agreement Setup | 2 |
| 1.7 Testing | 2 |
| 2. Included ASC X12 Implementation Guides | 3 |
| 3. Instruction Tables | 4 |
| 4. TI Additional Information | 9 |
| 4.1 Business Scenarios | 9 |
| 4.2 Payer-Specific Business Rules and Limitations | 9 |
| 4.3 Scheduled Maintenance | 9 |
| 4.4 Frequently Asked Questions | 9 |
| 4.5 Other Resources | 9 |
| 5. Change Summary | 11 |

1. Transaction Instruction (TI) Introduction

1.1 BACKGROUND

1.1.1 Overview of HIPAA Legislation

The Health Insurance Portability and Accountability Act (HIPAA) of 1996 carries provisions for administrative simplification. This requires the Secretary of the Department of Health and Human Services (HHS) to adopt standards to support the electronic exchange of administrative and financial health care transactions primarily between health care providers and plans. HIPAA directs the Secretary to adopt standards for transactions to enable health information to be exchanged electronically and to adopt specifications for implementing each standard. HIPAA serves to:

- Create better access to health insurance
- Limit fraud and abuse
- Reduce administrative costs

1.1.2 Compliance According to HIPAA

The HIPAA regulations at 45 CFR 162.915 require that covered entities not enter into a trading partner agreement that would do any of the following:

- Change the definition, data condition, or use of a data element or segment in a standard
- Add any data elements or segments to the maximum defined data set
- Use any code or data elements that are marked "not used" in the standard's implementation specifications or are not in the standard's implementation specification(s)
- Change the meaning or intent of the standard's implementation specification(s)

1.1.3 Compliance According to ASC X12

ASC X12 requirements include specific restrictions that prohibit trading partners from:

- Modifying any defining, explanatory, or clarifying content contained in the implementation guide
- Modifying any requirement contained in the implementation guide

1.2 INTENDED USE

The Transaction Instruction component of this companion guide must be used in conjunction with an associated ASC X12 Implementation Guide. The instructions in this companion guide are not intended to be stand-alone requirements documents. This companion guide conforms to all the requirements of any associated ASC X12 Implementation Guides and is in conformance with ASC X12's Fair Use and Copyright statements.

1.3 INTENDED AUDIENCE

This companion guide is intended for the business and technical users, within or on behalf of trading partners, responsible for the testing and setup of electronic claims submissions to NCTracks. In addition, this information should be communicated to, and coordinated with, the provider's billing office in order to ensure that the required billing information is provided to its billing agent/submitter.

1.4 PURPOSE OF COMPANION GUIDE

The companion guide is to be used with and to supplement the requirements in the HIPAA ASC X12 Implementation Guides, without contradicting those requirements. Implementation Guides define the national data standards, electronic format, and values for each data element within an electronic transaction. The purpose of the companion guide is to provide trading partners with a guide to communicating NCTracks-specific information required to successfully exchange transactions.

The primary purpose of this document is to assist the trading partner with the appropriate use of the transactions; it is not intended to be a billing or policy guide.

1.5 ACKNOWLEDGEMENTS

For all inbound transactions, a 999 Acknowledgement report will be sent to the trading partner's OUTBOX for retrieval. This report serves as the acknowledgement of the submission of a file. Typically, 999 Acknowledgement reports are available within moments of submission.

1.6 TRADING PARTNER AGREEMENT SETUP

Refer to Section 2.2, "Trading Partner Registration," of the NCTracks Trading Partner Connectivity Guide.

1.7 TESTING

NC DHHS (DMA, DMH, and DPH) requires testing, or third-party certification, prior to approving a trading partner to submit claims in production. Once trading partner claims are in production, NC DHHS (DMA, DMH, and DPH) reserves the right to require re-testing if it is determined that the trading partner is receiving/generating an unacceptable volume of errors.

Refer to Section 3, "Testing and Certification Requirements," of the NCTracks Trading Partner Connectivity Guide.

2. Included ASC X12 Implementation Guides

The following table identifies the X12N Implementation Guides for all of the transactions supported by NCTracks. Companion guides are available for each of the transactions.

Section 3 of this document provides information specific to the 837 Institutional transaction set, as defined in the ASC/X12N 005010X223 Health Care Claim: Institutional (837) Technical Report 3 (TR3) dated May 2006, and updated by:

- Errata 005010X223A1 Health Care Claim: Institutional (837) dated October 2007
- Errata 005010X223A2 Health Care Claim: Institutional (837) dated June 2010

| Unique ID | Name |
|------------|---|
| 005010X222 | Health Care Claim: Professional (837P) |
| 005010X223 | Health Care Claim: Institutional (837I) |
| 005010X224 | Health Care Claim: Dental (837D) |
| 005010X228 | Health Care Claim Pending Status Information (277P) |
| 005010X279 | Health Care Eligibility Benefit Inquiry and Response (270/271) |
| 005010X221 | Health Care Claim Payment/ Advice (835) |
| 005010X212 | Health Care Claim Status Request and Response (276/277) |
| 005010X220 | Benefit Enrollment and Maintenance (834) |
| 005010X218 | Payroll Deducted and Other Group Premium Payment for Insurance Products (820) |
| 005010X231 | Implementation Acknowledgment for Health Care Insurance (999) |

Pharmacy claims are submitted using the National Council for Prescription Drug Program's (NCPDP) D.0 format. Please refer to the "D.0 Companion Guide" for NCPDP D.0 claim formatting used by NCTracks.

3. Instruction Tables

These tables contain one or more rows for each segment for which a supplemental instruction is needed.

Legend

SHADED rows represent "segments" in the X12N Implementation Guide.

NON-SHADED rows represent "data elements" in the X12N Implementation Guide.

005010X223A2 Health Care Claim: Institutional (837I)

| Loop ID | Reference | Name | Codes | Notes/Comments |
|---------|-----------|-----------------------------------|-------|--|
| Header | ISA | Interchange Control Header | | |
| | ISA03 | Security Information Qualifier | 00 | Use "00" |
| | ISA05 | Interchange ID Qualifier | ZZ | Use "ZZ" |
| | ISA06 | Interchange Sender ID | | Use the 4-digit Submitter ID provided in the Trading Partner Agreement |
| | ISA07 | Interchange ID Qualifier | ZZ | Use "ZZ" |
| | ISA08 | Interchange Receiver ID | | "NCTRACKSBAT" is submitted for batch requests "NCTRACKSREL" is submitted for |
| | | | | real-time requests Most submitters will use "NCTRACKSBAT" unless they have been designated as a real- time submitter |
| Header | GS | Functional Group Header | | |
| | GS02 | Application Sender's Code | | Use the 4-digit Submitter ID provided in the Trading Partner Agreement |
| | GS03 | Application Receiver's Code | | "NCTRACKSBAT" is submitted for batch requests "NCTRACKSREL" is submitted for real-time requests Most submitters will use "NCTRACKSBAT" unless they have been designated as a real-time submitter |

| Loop ID | Reference | Name | Codes | Notes/Comments |
|---------|-----------|---|--------|---|
| Header | BHT | Beginning of Hierarchical Transaction | | |
| | ВНТ06 | Transaction Type Code | CH, RP | Use "CH" when submitting fee-for- service claims ***DMH claims are submitted as FFS |
| | | | | Use "RP" when submitting Encounter claims |
| 1000A | NM1 | Submitter Name | | |
| | NM109 | Submitter Identifier | | Use the 4-digit Submitter ID provided in the Trading Partner Agreement. Should be the same value as GS02. |
| | | | | For Encounter Claims only: The four-digit Submitter ID must be assigned to the Managed Care Organization's (MCO) NPI or Atypical Provider ID in the 2300, CN104 segment. The four-digit Submitter ID was provided in the Trading Partner Agreement. |
| 1000B | NM1 | Receiver Name | | |
| | NM103 | Receiver Name | | Use "NCTRACKS" |
| | NM109 | Receiver Primary Identifier | | Use "NCTRACKS" |
| 2000A | PRV | Billing Provider Specialty Information | | |
| | PRV03 | Provider Taxonomy Code | | NCTracks' adjudication is impacted by the provider taxonomy code. Per the X12 TR3, the Billing Provider taxonomy is required for NCTracks. Provider taxonomy codes can be obtained from www.wpc-edi.com/reference. |
| 2010BA | NM1 | Subscriber Name | | |
| | NM108 | Identification Code Qualifier | MI | Use "MI" |
| | NM109 | Subscriber Primary Identifier | | Use the subscriber's 10-digit identification number ending in an alpha character |
| 2010BB | NM1 | Payer Name | | |
| | NM109 | Payer Identifier | | Use "NCTracks" |
| 2010BB | REF | Billing Provider Secondary Identification | | |

| Loop ID | Reference | Name | Codes | Notes/Comments |
|---------|-----------|---|-------|--|
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Billing Atypical provider data when the provider does not have an NPI. |
| 2300 | CN1 | Contract Information | | The MCO and DMH identification numbers (NPI or Atypical ID) must be submitted in the CN1 segment. |
| | CN101 | Contract Type Code | | All qualifiers are accepted for Encounters and DMH claims. |
| | CN102 | Monetary Amount | | For Encounter Claims: Please submit the Encounter amount paid by the MCO. For DMH Claims: A zero amount or no value is accepted. |
| | CN104 | Reference Identification | | For Encounter Claims: Please submit the Encounter NPI or Atypical Provider ID of the MCO For DMH Claims: Please submit the DMH NPI or Atypical Provider ID. |
| 2300 | HI | Principal Diagnosis Admitting Diagnosis Patient's Reason For Visit External Cause of Injury Other Diagnosis Information Principal Procedure Information Other Procedure Information | | NCTracks will error the claim for the following conditions: A single claim may not have a combination of ICD-9 and ICD-10 diagnosis/procedure codes ICD-9 diagnosis/procedure codes cannot be submitted on a claim with Dates-of-Service after the ICD-10 implementation date, 10/1/2015 ICD-10 diagnosis/procedure codes cannot be submitted on a claim with Dates-of-Service before the ICD-10 implementation date, 10/1/2015 |
| 2310A | PRV | Attending Provider Specialty Information | | |
| | PRV03 | Provider Taxonomy Code | | NCTracks' adjudication is impacted by the provider taxonomy code. Per the X12 TR3, the Attending Provider Taxonomy is required for NCTracks when the Rendering Provider NPI or Atypical ID is submitted. Provider taxonomy codes can be obtained from www.wpc-edi.com/reference. |

| Loop ID | Reference | Name | Codes | Notes/Comments |
|---------|-----------|---|-------|--|
| 2310A | REF | Attending Provider Secondary Identifier | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Attending Provider Atypical ID when the provider does not have an NPI. |
| 2310D | REF | Rendering Provider Secondary Identification | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Rendering Provider Atypical ID when the provider does not have an NPI. |
| 2310E | REF | Service Facility Location Secondary Identification | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Service Facility Location Atypical provider data when the provider does not have an NPI. |
| 2310F | REF | Referring Provider Secondary Identification | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Referring Provider Atypical provider data when the provider does not have an NPI. |
| 2320 | SBR | Other Subscriber Information | | |
| | SBR09 | Claim Filing Indicator Code | | For Medicare Part A, use "MA" For Medicare Part B, use "MB" For HMO Medicare Risk, use "16" All other values will be calculated as Third Party Liability (TPL) |
| 2320 | CAS | Claim Level Adjustments | | Claim or Line Level Adjustments are required by NCTracks to report prior adjudication results made by the payer identified in the 2330B loop, "Other Payer Name" |
| 2320 | AMT | Coordination of Benefits (COB) Payer Paid Amount | | |

| Loop ID | Reference | Name | Codes | Notes/Comments |
|---------|-----------|--|-------|--|
| | AMT02 | Payer Paid Amount | | \$0 payment is expected when the "Other Payer" denied or paid \$0 on the claim |
| 2420C | REF | Rendering Provider Secondary Identification | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Rendering Provider Atypical ID when the provider does not have an NPI. |
| 2420D | REF | Referring Provider Secondary Identification | | |
| | REF01 | Reference Identification Qualifier | G2 | Use "G2" This is the qualifier used to report the Referring Atypical provider data when the provider does not have an NPI. |
| 2430 | SVD | Line Adjudication Information | | |
| | SVD02 | Service Line Paid Amount | | \$0 payment is expected when the "Other Payer" denied or paid \$0 on the claim |
| 2430 | CAS | Line Level Adjustments | | Claim or Line Level Adjustments are required by NCTracks to report prior adjudication results made by the payer identified in the 2330B loop, "Other Payer Name" and 2430, SVD01, "Other Payer Primary Identifier" |

4. TI Additional Information

4.1 BUSINESS SCENARIOS

The 837I is used to submit Institutional claims, adjustments, and voids.

4.2 PAYER-SPECIFIC BUSINESS RULES AND LIMITATIONS

NCTracks expects a segment terminator (~) at the end of each segment, as defined in section "B.1.1.2.5 Delimiters" of all (837P, 837D, 837I, 270/271, 276/277, 834) TR3 documents. In addition:

- NCTracks does not accept Carriage Return (CR), Line Feed (LF), or Carriage Return Line Feed (CRLF) characters as segment terminators.
- NCTracks accepts files with or without Carriage Return Line Feed (CRLF) characters, but
 if the CRLF is sent, a segment terminator is still required.
- There should not be any spaces or any junk characters after the end of the IEA segment.
- Only one ISA IEA is allowed in the file.

Files without a segment delimiter, with an unidentified segment terminator, or with spaces after the IEA segment will receive a negative TA1 and will not be processed.

4.3 SCHEDULED MAINTENANCE

NCTracks maintenance will occur Sunday morning from 12:01 a.m. through 4:00 a.m. NCTracks will not be available to submit files during this time.

4.4 FREQUENTLY ASKED QUESTIONS

This section will contain a compilation of questions and answers as they are identified.

4.5 OTHER RESOURCES

Washington Publishing Company

The Implementation Guides for X12N and all other HIPAA standard transactions are available electronically at www.wpc-edi.com.

ASC X12 Organization

http://www.x12.org/

United States Department of Health and Human Services (HHS)

This site is a resource for the Notice of Proposed Rule Making, rules and other information about HIPAA:

www.aspe.hhs.gov/admnsimp

Workgroup for Electronic Data Interchange (WEDI)

A workgroup dedicated to improving healthcare through electronic commerce, which includes the Strategic National Implementation Process (SNIP) for complying with the administrative simplification provisions of HIPAA:

www.wedi.org

- North Carolina Department of Health and Human Services www.ncdhhs.gov
- North Carolina Division of Medical Assistance http://www.ncdhhs.gov/dma/
- North Carolina Division of Mental Health/Developmental Disabilities/Substance Abuse Services

http://www.ncdhhs.gov/mhddsas/

 North Carolina Division of Public Health http://publichealth.nc.gov/

5. Change Summary

| Date | Change | Responsible Party |
|-------------------|--|-------------------------------------|
| November 16, 2012 | Initial trading partner test version | CSC under the direction of NC DHHS |
| April 15, 2013 | Encounters version | CSC under the direction of NC DHHS |
| May 07, 2013 | Encounters version, submission 2 | CSC under the direction of NC DHHS |
| July 1, 2013 | Production version | CSC under the direction of NC DHHS |
| January 21, 2014 | Encounters version update | CSC under the direction of NC DHHS |
| October 1, 2015 | ICD-10 version update | CSC under the direction of NC DHHS |
| February 03, 2016 | Update to Fiscal Agent name and logo | CSRA under the direction of NC DHHS |
| March 02, 2016 | Test version for DMH claims submission | CSRA under the direction of NC DHHS |
| May 1, 2016 | DMH claims submission | CSRA under the direction of NC DHHS |